



Designed for flow control or temporary closure of large size pipes. Generating a force of 15 tonnes the hydraulic jack will close PE pipe of any standard wall thickness within the size range.

Permanent pipe damage is prevented by correct use of the limit stops. When under squeeze conditions, screwing down the lock pins will prevent any loss of squeeze caused by a reduction in hydraulic pressure. Spare sets of limit stops are available for use on a range of pipe sizes.

FEATURES

- Designed to meet standard GIS/PL2-7
- Pipe size range 63mm 180mm
- Hydraulically powered
- Generates force of up to 15 tonnes
- Limit stops to prevent pipe damage
- Screw down lock pins
- Zinc coating to steel parts

Hydraulic Squeeze Off Tool 180mm Squeeze Off Tools

Technical Specification

Dimensions [HxWxL]	750 x 370 x 100mm
Weight	36kg
Material	Mild Steel EN3A, Chrome Plated Tube
Finish	Powder coating / zinc coating to steel parts
Pipe Diameter Range	63mm - 180mm
Hydraulic Powered Jack	15 ton



Code	Description
02-31-604	63, 90, 110, 125, 140, 160, 180mm SDR11 squeeze tool, Weber jack
02-31-602	63, 90, 110, 125, 140, 160, 180mm SDR11/17 squeeze tool, Weber jack
02-31-606	63, 90, 110, 125, 140, 160, 180mm SDR11/17/21 squeeze tool, home jack
02-31-605	63, 90, 110, 125, 140, 160, 180mm SDR17 squeeze tool, Weber jack
02-31-601	63, 90, 125, 180mm SDR11/17.6 squeeze tool, Weber jack
02-31-607	63, 90, 125, 180mm SDR11/17.6 squeeze tool, home jack
02-31-628	Spare buffer stop plate 63, 90, 110, 125, 140, 160, 180mm SDR11 (1 piece)
02-31-627	Spare buffer stop plate 63, 90, 110, 125, 140, 160, 180mm SDR17 (1 piece)
02-31-629	Spare buffer stop plate UK 63, 90, 125, 180mm SDR11/17 (1 piece)
02-31-625	Spare jack operating handle 3 piece tubular
02-31-938	Set of 2 safety buffer stops for dismountable squeeze tool 225mm x SDR21

